

THE  
**Bradley & Currier**  
**Company**  
LIMITED

REPRESENTED BY  
**C. W. WALDRON**  
BOX 53, JAMAICA, L. I.

**Hudson & Spring Streets**  
**NEW YORK.**

**1893**

POCKET CATALOGUE  
AND  
PRICELIST

OF STOCK GOODS ONLY

OUR WAREROOMS AND OFFICES,  
COR. OF HUDSON AND SPRING STREETS,  
ARE EASY OF ACCESS.

---

It is near the Grand Street Station of the Sixth Avenue Elevated Railroad, and the Desbrosses Street or Houston Street Stations on Ninth Avenue Elevated Railroad. The Eighth Avenue Horse Cars pass the door, and the Sixth Avenue Horse Cars cross Spring Street within one block. The Cross-Town Line of Horse Cars pass through Houston and Prince Streets, and cross Hudson Street within two blocks. This line connects with East River Ferries; the principal North River Ferries land within a few blocks.

# The Bradley & Currier Co.,

(LIMITED.)

## INDEX.


Introductory Remarks,	- - - -	Page 2
Instructions for Ordering	- - - -	" 3
Cheap Doors	- - - -	" 4
Front Doors in Pairs	- - - -	" 5
Front Doors, single	- - - -	" 6
Sash Doors	- - - -	" 7
Panel Doors 1 $\frac{1}{4}$ inch thick	- - - -	" 8
Panel Doors 1 $\frac{1}{4}$ inch thick	- - - -	" 9
Panel Doors 1 $\frac{1}{2}$ inch and 1 $\frac{3}{4}$ inch thick	- - - -	" 10
Panel Doors 1 $\frac{1}{2}$ inch and 1 $\frac{3}{4}$ inch thick	- - - -	" 11
Glazed Windows, 12 lights	- - - -	" 12
Glazed Windows, 4 lights	- - - -	" 13
Headlights and Hot-Bed Sash	- - - -	" 14
Single Sashes, Primed and Glazed	- - - -	" 15
Sashes, Unglazed	- - - -	" 15
Weights	- - - -	" 15
Outside Blinds and Fixtures	- - - -	" 16
Stair Rails, Newels and Balusters	- - - -	" 17
Newels	- - - -	" 18
Corner Blocks	- - - -	" 18
Mouldings	- - - -	" 19
Mouldings	- - - -	Pages 19 to 31
Cabinet Work and Mantels	- - - -	Page 32

Read carefully every Page.



**FRONT DOORS, IN PAIRS.**

Made from Clear White Pine, with circle head panels, and heavy raised Moulding one side, and flush Moulding the other side.


**SIZE.****1½ in.****1¾ in.**

Feet.	Inches.		Feet.	Inches.			
4	0	x	7	0	...	\$10 12	\$13 57
4	4	x	7	0	...	10 20	13 74
4	8	x	7	0	...	.....	13 94
5	0	x	7	0	...	.....	14 22



**FRONT DOORS, SINGLE.**

Made from Clear White Pine, with circle head panels, and heavy raised Moulding one side, flush Moulding the other side.

**SIZE.**

Feet.	Inches.		Feet.	Inches.
2	8	x	6	8 ...
2	10	x	6	10 ...
3	0	x	7	0 ...

**1½ in.**

\$5 14

5 35

5 57

**1¾ in.**


.....

.....

\$7 56

**SASH DOORS, NOT GLAZED.**



Made from Clear White Pine, panels flush Moulding both sides.



SIZE.			1¼ in.	1½ in.	SIZE.			1¼ in.	1½ in.
ft.	in.	ft. in.			ft.	in.	ft. in.		
2	0	x 6 6	\$2 22	.....	2	8	x 6 10	\$2 00	\$2 82
2	4	x 6 6	2 30	.....	2	10	x 6 10	2 72	2 95
2	6	x 6 6	2 38	\$2 58	2	6	x 7 0	2 63	2 85
2	8	x 6 6	2 46	2 67	2	8	x 7 0	2 72	2 94
2	0	x 6 8	2 28	.....	2	10	x 7 0	.....	3 06
2	4	x 6 8	2 35	.....	3	0	x 7 0	2 91	3 16
2	6	x 6 8	2 44	2 64	2	6	x 7 6	.....	3 03
2	8	x 6 8	2 52	2 74	2	8	x 7 6	.....	3 12
2	10	x 6 8	.....	2 86	2	10	x 7 6	.....	3 25
2	6	x 6 10	2 52	2 73	3	0	x 7 6	.....	3 34

**PANEL DOORS.**

These are our regular style of New York Stock,  $1\frac{1}{4}$  inch thick, with flush Moulding one side, and raised Panels the other side. This cut shows the Moulded side only. (See sectional view below the cut.)



The Prices on page 9 are for First Quality of clear White Pine Doors. We also keep Second Quality, which have a few small knots, and some sap, but otherwise are as good as the first quality.

Prices of Second Quality, 5c. each less than first quality.



**PANEL DOORS.**

See cut and description on page 8.

SIZE.				1 1/4 in.	SIZE.				1 1/4 in.
Ft.	In.	Ft.	In.		Ft.	In.	Ft.	In.	
2	0	x	6 0	\$1 94	2	2	x	6 10	\$2 25
2	2	x	6 0	1 97	2	4	x	6 10	2 30
2	4	x	6 0	2 02	2	6	x	6 10	2 38
2	6	x	6 0	2 10	2	8	x	6 10	2 46
2	8	x	6 0	2 18	2	10	x	6 10	2 58
					3	0	x	6 10	2 66
2	0	x	6 2	2 03					
2	2	x	6 2	2 06	1	10	x	7 0	2 34
2	4	x	6 2	2 10	2	0	x	7 0	2 34
					2	2	x	7 0	2 36
2	0	x	6 4	2 03	2	4	x	7 0	2 41
2	2	x	6 4	2 06	2	6	x	7 0	2 49
2	4	x	6 4	2 10	2	8	x	7 0	2 58
2	6	x	6 4	2 18	2	10	x	7 0	2 69
2	8	x	6 4	2 27	3	0	x	7 0	2 77
1	10	x	6 6	2 08	2	0	x	7 2	2 50
2	0	x	6 6	2 08	2	2	x	7 2	2 53
2	2	x	6 6	2 11	2	4	x	7 2	2 58
2	4	x	6 6	2 16	2	6	x	7 2	2 66
2	6	x	6 6	2 24	2	8	x	7 2	2 74
2	8	x	6 6	2 32					
2	10	x	6 6	2 44	2	0	x	7 4	2 50
3	0	x	6 6	2 52	2	2	x	7 4	2 53
					2	4	x	7 4	2 58
1	10	x	6 8	2 14	2	6	x	7 4	2 66
2	0	x	6 8	2 14	2	8	x	7 4	2 74
2	2	x	6 8	2 17					
2	4	x	6 8	2 21	2	0	x	7 6	2 50
2	6	x	6 8	2 30	2	2	x	7 6	2 53
2	8	x	6 8	2 38	2	4	x	7 6	2 58
2	10	x	6 8	2 49	2	6	x	7 6	2 66
3	0	x	6 8	2 58	2	8	x	7 6	2 74
					2	10	x	7 6	2 86
1	10	x	6 10	2 22	2	6	x	8 0	2 88
2	0	x	6 10	2 22					


We also keep in Stock the following 1 1/4 inch Doors, moulded both sides.

Ft.	In.		Ft.	In.		Ft.	In.		Ft.	In.		Ft.	In.		Ft.	In.
2	6	x	6	6*		2	6	x	6	8		2	8	x	6	8
			\$2 38						\$2 44						\$2 52	

Second Quality 5 cents each less.

**PANEL DOORS.**

These are our regular style of New York Stock,  $1\frac{1}{2}$  inch and  $1\frac{3}{4}$  inch thick, with flush Mouldings both sides.



The Prices on page 11 are for First Quality of clear White Pine Doors. We also keep the smaller sizes of  $1\frac{1}{2}$  inch, in Second Quality. They have a few small knots, and some sap, but otherwise are as good as the first quality.

Price of Second Quality, 10c. each less than first quality.

## PANEL DOORS.

See cut and description on page 10.

SIZE.				1½ in.	SIZE.				1½ in.
Ft.	In.	Ft.	In.		Ft.	In.	Ft.	In.	
2	0	x	6 6	\$2 39	2	6	x	7 0	\$2 85
2	2	x	6 6	2 43	2	8	x	7 0	2 94
2	4	x	6 6	2 48	2	10	x	7 0	3 06
2	6	x	6 6	2 58	3	0	x	7 0	3 16
2	8	x	6 6	2 67					
2	10	x	6 6	2 78	2	6	x	7 2	3 03
3	0	x	6 6	2 88	2	8	x	7 2	3 13
2	0	x	6 8	2 45	2	6	x	7 4	3 03
2	2	x	6 8	2 49	2	8	x	7 4	3 13
2	4	x	6 8	2 54	2	10	x	7 4	3 25
2	6	x	6 8	2 64					
2	8	x	6 8	2 73	2	0	x	7 6	2 84
2	10	x	6 8	2 86	2	2	x	7 6	2 88
3	0	x	6 8	2 95	2	4	x	7 6	2 93
					2	6	x	7 6	3 03
2	0	x	6 10	2 54	2	8	x	7 6	3 13
2	2	x	6 10	2 58	2	10	x	7 6	3 25
2	4	x	6 10	2 63	3	0	x	7 6	3 34
2	6	x	6 10	2 73					
2	8	x	6 10	2 82	2	0	x	8 0	3 08
2	10	x	6 10	2 95	2	2	x	8 0	3 12
3	0	x	6 10	3 04	2	4	x	8 0	3 18
					2	6	x	8 0	3 27
2	0	x	7 0	2 65	2	8	x	8 0	3 37
2	2	x	7 0	2 69	2	10	x	8 0	3 49
2	4	x	7 0	2 75	3	0	x	8 0	3 58

Second Quality 10 cents each less.

SIZE.				1¾ in.	SIZE.				1¾ in.
Ft.	In.	Ft.	In.		Ft.	In.	Ft.	In.	
2	8	x	6 8	\$4 20	2	8	x	7 6	\$4 89
2	10	x	6 10	4 50	2	10	x	7 6	5 06
2	8	x	7 0	4 50	3	0	x	7 6	5 20
2	10	x	7 0	4 68	2	10	x	8 0	5 54
3	0	x	7 0	4 82	3	0	x	8 0	5 66

## GLAZED WINDOWS.



TWELVE LIGHTS.

## SIZE.

ft.	in.	ft.	in.	GLASS.	1¼ in. plain	1¼ in. C. C.	1½ in. C. C.	
2	1	x	3	6	7x 9	\$1 06	\$1 11	.....
2	4	x	3	10	8x10	1 16	1 20	.....
2	4	x	4	6	8x12	1 30	1 34	.....
2	7	x	4	2	9x11	.....	1 36	.....
2	7	x	4	6	9x12	1 37	1 43	.....
2	7	x	4	10	9x13	1 46	1 50	.....
2	7	x	5	2	9x14	.....	1 55	.....
2	10	x	4	6	10x12	1 45	1 50	\$1 59
2	10	x	5	2	10x14	1 60	1 65	1 74
2	10	x	5	6	10x15	.....	1 73	1 83
2	10	x	5	10	10x16	.....	.....	2 07
2	10	x	6	2	10x17	.....	.....	2 13
2	10	x	6	6	10x18	.....	.....	2 24
3	1	x	5	2	11x14	.....	.....	2 11
3	1	x	5	6	11x15	.....	.....	2 18

Primed and Glazed with good Glass, well Puttied and Tinned.

Those marked C. C. are ploughed and bored for Weights.

## GLAZED WINDOWS.



FOUR LIGHTS.

## SIZE.

ft.	in.		ft.	in.	GLASS.	1 1/4 in. C.C.	1 1/2 in. C.C.
2	4	x	3	10	12 x 20	\$1 28	.....
2	4	x	4	6	12 x 24	1 41	.....
2	7	x	4	6	13 1/2 x 24	1 51	\$1 60
2	7	x	4	10	13 1/2 x 26	1 63	1 72
2	7	x	5	2	13 1/2 x 28	1 91	2 00
2	7	x	5	6	13 1/2 x 30	2 05	2 14
2	7	x	5	10	13 1/2 x 32	2 16	2 26
2	7	x	6	2	13 1/2 x 34	.....	2 43
2	7	x	6	6	13 1/2 x 36	.....	2 56
2	8	x	4	6	14 x 24	1 51	.....
2	8	x	4	10	14 x 26	1 63	.....
2	8	x	5	2	14 x 28	1 91	2 00
2	8	x	5	6	14 x 30	2 05	2 14
2	8	x	5	10	14 x 32	2 16	2 26
2	8	x	6	2	14 x 34	.....	2 43
2	10	x	5	2	15 x 28	.....	2 21
2	10	x	5	6	15 x 30	.....	2 32
2	10	x	5	10	15 x 32	.....	2 42
2	10	x	6	2	15 x 34	.....	2 57
2	10	x	6	6	15 x 36	.....	2 80
2	10	x	7	2	15 x 40	.....	3 22

Primed and Glazed with good Glass, well Puttied and Tinned.

Those marked C. C. are ploughed and bored for weights.



## HEADLIGHTS, PRIMED AND GLAZED.



SIZE.		1¼ in.	1½ in.	SIZE.		1¼ in.	1½ in.
ft. in.	ft. in.			ft. in.	ft. in.		
2 5	x 1 0	\$0 45	\$0 50	2 7	x 1 0	.....	\$0 50
2 5	x 1 2	45	50	2 7	x 1 2	.....	55
2 5	x 1 4	50	55	2 7	x 1 4	.....	60
2 6	x 1 0	45	50	2 8	x 1 0	.....	50
2 6	x 1 2	50	55	2 8	x 1 2	\$0 50	55
2 6	x 1 4	55	60	2 8	x 1 4	55	60
2 6	x 1 6	55	60	2 8	x 1 6	60	65

## SASHES FOR HOT BEDS.

Size 3 feet x 6 feet.

PRICE, EACH: GLAZED, \$2.25; NOT GLAZED, 90c.



1½ inch thick.

MADE IN BEST MANNER WITH OAK CROSS BAR.

**SINGLE SASHES, PRIMED AND GLAZED.**

1 1/4 inch thick.

SIZE.

GLASS.

1 1/4 in.

ft. in. ft. in.

1 6 x 1 10

7 x 9

\$0 50

1 8 x 2 0

8 x 10

50

1 10 x 2 2

9 x 11

55

1 10 x 2 4

9 x 12

60

2 0 x 2 4

10 x 12

60

2 0 x 2 8

10 x 14

65

**SASHES UNGLAZED.**

For Styles see Cuts on pages 12 and 13.

SIZE.		12 LIGHTS.			4 LIGHTS.		Weights for Glazed Sashes.	
		1 1/4 in. plain.	1 1/4 in. c. c.	1 1/2 in. c. c.	1 1/4 in. c. c.	1 1/2 in. c. c.	1 1/4 in.	1 1/2 in.
Ft.	In.						Lbs.	Lbs.
2	1 x 3	\$0 56	\$0 61	.....				
2	4 x 3	59	64	.....	\$0 59	.....	4	5
2	4 x 4	63	68	.....	63	.....	4 1/2	5
2	7 x 4	.....	68	.....				
2	7 x 4	65	70	.....	65	\$0 75	5	5 1/2
2	7 x 4	68	73	.....	68	77	5 1/2	5 1/2
2	7 x 5	.....	75	.....	70	80	5 1/2	6
2	7 x 5	.....		.....	73	83	5 1/2	6 1/2
2	7 x 5	.....		.....	76	89	6	6 1/2
2	7 x 6	.....		.....		91	6 1/2	7
2	7 x 6	.....		.....		95	7	7 1/2
2	8 x 4	.....		.....	65	.....	5	5 1/2
2	8 x 4	.....		.....	68	.....	5 1/2	5 1/2
2	8 x 5	.....		.....	70	80	6	6 1/2
2	8 x 5	.....		.....	73	83	6	6 1/2
2	8 x 5	.....		.....	76	89	6 1/2	7
2	8 x 6	.....		.....		91	7	7 1/2
2	10 x 4	67	72	\$0 82	.....	.....	5 1/2	6
2	10 x 5	72	77	88	.....	83	6	6 1/2
2	10 x 5	.....	80	91	.....	86	6	7
2	10 x 5	.....		94	.....	90	6 1/2	7 1/2
2	10 x 6	.....		98	.....	93	7 1/2	8
2	10 x 6	.....		1 02	.....	99	.....	8
2	10 x 7	.....		.....	.....	1 06	.....	9
3	1 x 5	.....		95	.....	.....	.....	7
3	1 x 5	.....		98	.....	.....	.....	7 1/2

Those marked C. C. are ploughed and bored for Weights.

## OUTSIDE BLINDS.

1  $\frac{1}{4}$  INCH THICK.

SIZE.			Plain.		Painted.	
ft.	in.	ft. in.	\$		\$	
2	0 $\frac{5}{8}$	x3 7	0	81	1	24
2	3 $\frac{3}{8}$	x3 11	0	89	1	36
2	3 $\frac{3}{8}$	x4 7	1	04	1	59
2	6 $\frac{3}{8}$	x4 3	1	00	1	50
2	6 $\frac{3}{8}$	x4 7	1	04	1	59
2	6 $\frac{3}{8}$	x4 11	1	11	1	70
2	6 $\frac{3}{8}$	x5 3	1	19	1	82
2	6 $\frac{3}{8}$	x5 7	1	26	1	93
2	6 $\frac{3}{8}$	x5 11	1	34	2	05
2	6 $\frac{3}{8}$	x6 3	1	41	2	16
2	6 $\frac{3}{8}$	x6 7	1	49	2	28
2	7 $\frac{1}{8}$	x4 7	1	04	1	59
2	7 $\frac{1}{8}$	x4 11	1	11	1	70
2	7 $\frac{1}{8}$	x5 3	1	19	1	82
2	7 $\frac{1}{8}$	x5 7	1	26	1	93
2	7 $\frac{1}{8}$	x5 11	1	34	2	05
2	7 $\frac{1}{8}$	x6 3	1	41	2	16
2	9 $\frac{1}{8}$	x4 7	1	04	1	59
2	9 $\frac{1}{8}$	x5 3	1	19	1	82
2	9 $\frac{1}{8}$	x5 7	1	26	1	93
2	9 $\frac{1}{8}$	x5 11	1	34	2	05
2	9 $\frac{1}{8}$	x6 3	1	41	2	16
2	9 $\frac{1}{8}$	x6 7	1	49	2	28
2	9 $\frac{1}{8}$	x7 3	1	64	2	51



Made from White Pine in very best manner. All Slats rolling.

We Paint them to order of any one color desired.

New York or Elbow Hinges, with Fasts and Screws, for Brick or Wood Building, at 35 cts. per pair of Blinds.

Malleable Self-Locking Hinges, with Fasts and Screws, for Brick or Wood Building, at 20 cts. per pair of Blinds.

## STAIR RAILING, NEWELS and BALUSTERS.

## BALUSTERS.

BLACK WALNUT.	1½ in.	1¾ in.	2 in.
Fancy Turned.....	\$0 08	\$0 12	.....
Necked.....		13	.....
Octagon or Fluted.....		16	\$0 18

## SOLID NEWELS, WITH CAPS.

BLACK WALNUT.	5 in.	6 in.	7 in.	8 in.
Fancy Turned.....	\$2 70	\$3 30	\$4 80	\$5 80
Octagon or Fluted.....		3 65	5 00	6 15

## SOLID NEWELS, New Patterns, see page 18.

		5 in.	6 in.	7 in.	8 in.
Style E.	- Ash....	\$6 30	\$7 00	\$9 00	\$11 20
" "	- Oak....	8 40	9 45	11 20	14 70
Style F.	- Ash....	.....	9 00	11 50	13 00
" "	- Oak....	.....	10 55	14 70	17 50
Style L.	- Ash....	.....	7 70	10 00	11 50
" "	- Oak....	.....	9 80	12 95	15 75
Style M.	- Ash....	.....	3 20	4 20	5 60
" "	- Oak....	.....	5 60	7 35	9 75

We are prepared to furnish STAIRS of every description ready to put together, of either pine or hard wood.


STAIR RAILING of every description got out ready to put up, with crooks, etc., worked and finished in the best manner.

ORDERS FOR STAIRS should give height of story from floor to floor, with width of joists in second story, width and run of stairs and size of cylinder, with sketch showing something of the shape wanted and the way they turn on the landing; also style and width of base used in the hall.

ORDERS FOR RAILING worked for straight flight, should give the rise and tread of steps as sawed out on the string board, and number of risers, the size of cylinder, which way it turns on landing, and length of straight rail required at head of stairs.

FOR WINDING STAIRS we should have an exact plan, showing location of risers in cylinder, and width of steps, risers, etc.

## SOLID NEWELS, NEW PATTERNS.



E.

F.

L.

M.

For Prices of above Newels, see page 17.

## CORNER BLOCKS.

Turned Centre, Pine Corner Blocks,  
 $3\frac{7}{8} \times 3\frac{7}{8} \times 1\frac{1}{8}$  and  $4\frac{5}{8} \times 4\frac{5}{8} \times 1\frac{1}{8}$ ,  $2\frac{1}{2}$  cts. each.

*These are kept in Stock.*



## STOCK MOULDINGS, Etc.

Of Pine and Whitewood.

No.	Page	WOOD.	Price	No.	Page	WOOD.	Price.
47	29	W. Pine.	\$3 64	610	27	W. Pine.	\$3 68
48	28	" "	2 80	611	26	" "	1 96
49	29	" "	3 15	621	25	" "	84
50	30	" "	3 15	621	25	Ash.....	1 37
51	26	" "	84	625	27	W. Pine.	2 52
55	30	" "	4 20	628	29	" "	1 68
56	30	" "	3 36	629	29	" "	1 40
60	29	" "	3 36	658	27	N.C. Pine	04
501	21	" "	70	658	27	Ash.....	04 <sup>1</sup> / <sub>2</sub>
505	22	" "	1 12	664	28	N.C. Pine	2 25
515	22	" "	1 40	668	26	W. Pine.	3 92
531	23	" "	1 26	669	25	" "	1 12
532	23	" "	1 68	693	23	" "	1 40
539	22	" "	84	694	22	" "	1 26
540	23	" "	70	695	22	N.C. Pine	1 40
545	23	" "	88	695	22	Ash.....	2 28
546	23	" "	56	696	23	N.C. Pine	1 54
549	25	" "	70	696	23	Ash.....	2 51
552	25	" "	70	697	21	W. Pine.	70
553	25	" "	56	698	23	" "	70
557	24	" "	2 24	705	21	" "	2 52
558	24	" "	1 12	707	21	" "	2 52
559	24	" "	70	708	21	" "	2 52
559	24	Ash.....	1 14	711	30	" "	2 52
559	24	Cherry...	1 58	716	31	" "	3 92
559	24	B. Wal...	2 70	718	31	" "	3 92
560	26	W. Pine.	84	719	31	" "	3 36
561	24	" "	56	723	24	" "	2 52
562	25	" "	84	724	22	" "	2 52
563	25	" "	70	727	24	" "	2 24
567	26	" "	1 68	728	24	" "	2 24
567	26	Ash.....	2 73	729	25	" "	1 68
568	25	W. Pine.	84	730	25	" "	1 68
570	27	" "	1 40	801	20	" "	2 52
570	27	Ash.....	2 28	802	20	" "	2 52
604	29	8" W. Pine.	02 <sup>1</sup> / <sub>2</sub>	803	20	" "	2 52
608	26	W. Pine.	1 68				

Above are priced per 100 lineal feet except No. 658, which is priced per square foot. No. 658 Ash is in 3'-6" 4'-0" and 5'-0" lengths, No. 658 N. C. Pine is in 3'-6" 4'-0" and 5'-0" lengths.

BASE BLOCK, N<sup>o</sup> 605. 8 in.

N<sup>o</sup> 802.  
4 1/2" x 7/8".

N<sup>o</sup> 803.  
4 1/2" x 7/8".

N<sup>o</sup> 801.  
4 1/2" x 7/8".

We also have *in stock*, casings for Trimming Windows to match Nos. 705, 707, 708, 801, 802 and 803 with both edges square.

BASE BLOCK, No. 604. 8 in.

No 705  
4 1/2" X 7/8"

No 707  
4 1/2" X 7/8"





No 708  
4 1/2" X 7/8"

No 697  
1 3/8" X 5/8"


No 501  
1 3/8" X 1/2"





























No 625  
4 1/2 x 7/8



No 658  
2 1/2 Face x 1/8

No 570  
2 1/2 x 1 1/2




No 610  
5 1/4 x 1 1/8



No 664  
4 5/8 x 9 1/2




No 636  
5 x 7 1/8



No 48  
5 x 7 1/8







N<sup>o</sup> 628  
2" X 1 1/2"




N<sup>o</sup> 629  
2 1/2" X 7/8"





N<sup>o</sup> 49  
4 1/2" X 1 1/4"



N<sup>o</sup> 47  
6 1/2" X 7/8"



N<sup>o</sup> 60  
6" X 7/8"



No 716.  
7" X 7/8"

No 718  
7" X 7/8"

No 719  
6" X 7/8"



## CABINET WORK AND WOOD MANTELS.

For this department we have recently erected a *new factory* in the immediate vicinity of our warerooms to meet the demands of our increasing trade, and are prepared to furnish the finest work, either from our own or architect's designs in

*Hard-Wood Doors,*

*Trim, Wainscoting,*

*Inside Blinds,*

*and Shutters.*

*Stairs, Newel Posts,*

*Wood Mantels, etc.*

We make to order a great variety of *PEDESTAL NEWELS*, of different designs and prices.

We have added to our Show Rooms over a hundred new designs of *WOOD MANTELS*; for *Parlor, Library, Dining Room or Sleeping Rooms, in Mahogany, Walnut, Oak, Cherry, Ash, Ebonized, etc., etc.*, all made of the best material and in the most thorough manner.

Elegant designs of *Wood Mantels*, made for open wood fires, with *Brass Andirons and Fenders, Tiled Hearths, etc* , furnished complete.

# DOORS, WINDOWS, BLINDS, MOULDINGS.

Hand-Rails, Newels and Balusters.

Turned and Carved Work.

WOOD AND MARBLEIZED SLATE

## MANTELS,

GRATES, FENDERS,

FRAMES AND SUMMER PIECES,

OPEN FIRE-PLACES,

*TILE HEARTHS AND FACINGS,*

ORNAMENTAL GLASS,

PLASTER CENTRES AND BRACKETS.

---

*FINE CABINET WORK*

OF EVERY DESCRIPTION.



# THE BRADLEY & CURRIER CO. LIMITED

DOORS,  
WINDOWS,  
BLINDS,  
MANTELS &c.

COR HUDSON & SPRING STS.  
NEW YORK.

E.A. BRADLEY, PRESIDENT.

G.C. CURRIER, VICE PRESIDENT.

JOHN J. HUGHES, SECY. & TREAS.

## → DIRECTORS ←

E.A. BRADLEY, G.C. CURRIER,

JOHN J. HUGHES,

T.J. MORROW, I.C. SHAYLOR.

SUCCESSORS TO THE DEY ST HOUSE OF  
**BRADLEY & CURRIER**

ESTABLISHED 1867.

Digitized by ASSOCIATION FOR PRESERVATION TECHNOLOGY, [www.apti.org](http://www.apti.org) for the  
BUILDING TECHNOLOGY HERITAGE LIBRARY  
<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of

Tulane University: Southeastern Architectural Archive <http://seaa.tulane.edu>

THE BRADY

COR HU

E. A. BR

T. J. M

SUCCESS

BR

RIFER CO. LIMITED

STS.

PRESIDENT.

PRESIDENT.

SECY. & TREAS.

RS. & ARS.

GURRIER,

ES,

HAYLOR.

ST HOUSE OF

RIER

HED 1867